

## AF OSR SYSTEM

### Models

OSR-200    OSR-300

### Features


- Fluid-Vac “abuser-friendly” axial flow design
- Totally self contained package. No external sealant or cooling liquid is required.
- Close coupled compact design. No couplings to align or coupling guards to maintain.
- Robust industrial pump and motor provides years of trouble-free operation.
- High efficiency separator minimizes oil carryover.
- Fully instrumented system includes temperature gauges and inlet vacuum gauge.
- Quiet, vibration-free operation
- Inlet check valve prevents backflow when system is taken off line.



### Specifications

	MODEL	OSR-200	OSR-300
<b>Nominal Flow Capacity</b>	CFM / <i>m<sup>3</sup>/h</i>	200 / <i>340</i>	300 / <i>510</i>
<b>Motor</b>	HP / <i>kW</i>	15 / <i>11</i>	20 / <i>15</i>
<b>Pump RPM</b>	RPM	1150	1150
<b>Oil Capacity</b>	Gallons / <i>Liters</i>	12 / <i>45</i>	12 / <i>45</i>
<b>Weight</b>	lbs. / <i>kg</i>	1480 / <i>672</i>	1500 / <i>681</i>


### Typical Pumping Speed Curves



## Dimensions

Values shown are approximate and should not be used for construction.  
 Certified drawings are available through your local Tuthill Vacuum & Blower Systems Sales Professional.

## Models OSR-200, OSR-300



MODEL inches / mm	A	B	C	D Inlet	E Discharge	Weight (lbs. / kg)
OSR-200	66 / 1676	36 / 914	77 / 1956	3" NPT	3" NPT	1480 / 672
OSR-300	66 / 1676	36 / 914	77 / 1956	3" NPT	3" NPT	1500 / 681

Your Local Tuthill Vacuum Blower Systems Sales Professional:



Western Washington: 253-740-0530  
 Eastern Washington: 509-949-3368  
 Idaho & Montana: 208-360-3833  
 Oregon: 503-708-9609  
[info@nwflowtech.com](mailto:info@nwflowtech.com)



Tuthill Vacuum & Blower Systems  
 4840 West Kearney Street  
 Springfield, Missouri USA 65803-8702  
 o 417.865.8715 800.825.6937 f 417.865.2950  
[tuthillvacuumblower.com](http://tuthillvacuumblower.com)

